



Certificate of Analysis

Compliance Test

Client Information:

Blue Mist LLC
1210 West 13th Street
Riviera Beach, Florida 33404

Batch # 32125
Batch Date: 2025-03-21
Extracted From: Hemp

Test Reg State: Florida

Order # BLU250321-100001
Order Date: 2025-03-21
Sample # AAGN038

Sampling Date: 2025-03-24
Lab Batch Date: 2025-03-24
Orig. Completion Date: 2025-03-31

Initial Gross Weight: 46.116 g

Statement of Amendment: Updated Photo



**Potency
Tested**



**Heavy Metals
Passed**



**Mycotoxins
Passed**



**Pesticides
Passed**



**Pathogenic
Passed**



**Microbiology (qPCR)
Passed**

Product Image



Potency 25 (LCUV)

Specimen Weight: 202.70 mg

Tested

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
Delta9-THCP *	15.000	1.17E-5	0.01	95.8900	9.5890
CBG	15.000	2.48E-4	0.0125	50.7800	5.0780
CBGA	15.000	8.00E-5	0.0125	31.1900	3.1190
Delta-8 THC	15.000	2.60E-5	0.0125	4.2100	0.4210
CBC	15.000	1.80E-5	0.0125	3.3700	0.3370
Delta8-THCP *	15.000	3.75E-4	0.0125	2.6000	0.2600
Delta-9 THC	15.000	1.30E-5	0.0125	1.4100	0.1410
CBCA	15.000	1.07E-4	0.0125	0.8100	0.0810
Delta-8 THCV	15.000	4.00E-5	0.0125	0.6700	0.0670
CBD	15.000	5.40E-5	0.0125	0.2700	0.0270
THCV	15.000	7.00E-6	0.0125	0.2100	0.0210
THCH *	15.000	3.50E-4	0.0163	0.1800	0.0180
CBDA	15.000	1.00E-5	0.0125	<LOQ	<LOQ
CBDV	15.000	6.50E-5	0.0125	<LOQ	<LOQ
CBDVA	15.000	1.40E-5	0.0125	<LOQ	<LOQ
CBL	15.000	3.50E-5	0.0125	<LOQ	<LOQ
CBN	15.000	1.40E-5	0.0125	<LOQ	<LOQ
CBNA	15.000	9.50E-5	0.0125	<LOQ	<LOQ
CBT	15.000	2.00E-4	0.0125	<LOQ	<LOQ
Delta-8 THC-O Acetate	15.000	2.70E-5	0.025	<LOQ	<LOQ
Delta-9 THC-O Acetate	15.000	7.70E-5	0.025	<LOQ	<LOQ
Exo-THC	15.000	2.30E-4	0.0125	<LOQ	<LOQ
THCA-A	15.000	3.20E-5	0.0125	<LOQ	<LOQ
THCB *	15.000	1.80E-4	0.0163	<LOQ	<LOQ
THCVA	15.000	4.70E-5	0.0125	<LOQ	<LOQ
Total Active CBD	15.000			0.270	0.027
Total Active THC	15.000			1.410	0.141



Potency Summary

Total Active THC
0.141%

Total Active CBD
0.027%

Total CBG
7.816%

Total CBN
None Detected

Total Cannabinoids
19.141%

Sample was oven dried before potency testing.

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received. Revised report- see statement of amendment above.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis

Compliance Test

Client Information:

Blue Mist LLC
1210 West 13th Street
Riviera Beach, Florida 33404

Batch # 32125
Batch Date: 2025-03-21
Extracted From: Hemp

Test Reg State: Florida

Order # BLU250321-100001
Order Date: 2025-03-21
Sample # AAGN038

Sampling Date: 2025-03-24
Lab Batch Date: 2025-03-24
Orig. Completion Date: 2025-03-31

Initial Gross Weight: 46.116 g

Total Yeast and Mold
Specimen Weight: 998.700 mg

Passed
SOP13.017 (qPCR)

Dilution Factor: 20.000

Analyte	Action Level (cfu/g)	LOQ (cfu/g)	Result (cfu/g)
Total Yeast/Mold	100000	1000	20169
Prep. By: 1161	Date: 2025-03-25 10:43:38	Analyzed By: 1161	Date: 2025-03-25 10:43:38
Reviewed By: 1161	Date: 2025-03-25 16:51:07	Lab Batch #: AAGN038-435	Date: 2025-03-25 16:51:07

Pathogenic SAE (qPCR)
Specimen Weight: 1019.900 mg

Passed
SOP13.029 (qPCR)

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result (cfu/g)	Analyte	Action Level (cfu/g)	Result (cfu/g)
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	1	Absence in 1g	Salmonella	1	Absence in 1g
E.Coli	1	Absence in 1g			

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

Blue Mist LLC
1210 West 13th Street
Riviera Beach, Florida 33404

Batch # 32125
Batch Date: 2025-03-21
Extracted From: Hemp

Test Reg State: Florida

Order # BLU250321-100001
Order Date: 2025-03-21
Sample # AAGN038

Sampling Date: 2025-03-24
Lab Batch Date: 2025-03-24
Orig. Completion Date: 2025-03-31

Initial Gross Weight: 46.116 g



Heavy Metals

Specimen Weight: 250.900 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 199

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	200	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	200	<LOQ	Mercury (Hg)	.58	100	200	<LOQ



Mycotoxins

Specimen Weight: 601.800 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.490

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

Blue Mist LLC
1210 West 13th Street
Riviera Beach, Florida 33404

Batch # 32125
Batch Date: 2025-03-21
Extracted From: Hemp

Test Reg State: Florida

Order # BLU250321-100001
Order Date: 2025-03-21
Sample # AAGN038

Sampling Date: 2025-03-24
Lab Batch Date: 2025-03-24
Orig. Completion Date: 2025-03-31

Initial Gross Weight: 46.116 g



Pesticides

Specimen Weight: 601.800 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.490

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	<LOQ	Metaxalyl	8.1000E-2	10	100	<LOQ
Bifenthrin	4.3000E-2	30	200	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	MGK-264	5.8500E-1	10	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlormequat Chloride	1.0800E-1	10	1000	<LOQ	Paclobutrazol	6.5000E-2	30	100	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Clofentezine	1.1900E-1	30	200	<LOQ	Permethrin	3.4300E-1	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Cyfluthrin	3.1100E+0	30	500	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etoxazole	9.5000E-2	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Flonicamid	5.1700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	100	<LOQ

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

